# **Urology Table**

# When stability, access, and precise, quiet, vibration-free positioning are essential

- Large 54" x 17.5" radiolucent area
- Fowler positioning (0° to 80°)
- Five-axis motorized tabletop positioning
- Four convenient positioning controllers (main panel control, joystick control with variable speed, hand-held controller and foot controller)
- Smooth starts and stops programmed into all motorized movements
- Low profile base for C-Arm clearance
- Accessory rails
- Both AC and battery power are standard

## Fully equipped for image-guided urologic procedures

The Urology C-Arm Table is an ideal choice for image-guided procedures. The narrow Fiberesin<sup>TM</sup> tabletop is cantilevered to accommodate portable or ceiling suspended C-Arms. Radiolucent areas are free of cross members, allowing full fluoroscopic visualization and unobstructed C-Arm positioning. Functional design provides complete access while minimizing radiation exposure to clinicians.

The Urology C-Arm Table features motorized actuation of height, X-Y, lateral roll and Trendelenburg motions of the tabletop. Multiple positioning control options, with pre-programmed features, ensure quick and safe tabletop positioning during any phase of a procedure. The rail-mounted main control panel, portable hand-held and foot-operated controllers can be positioned for access from any point around the table.

### **Control made easy**

The LCD screen of the Main Control Panel displays actual tabletop position (all axes) in real time, and provides menus and prompts for other functions. Up to ten position sets are stored. A "Level" button brings the table to 0° tilt and 0° lateral roll while "Home" both levels and lowers the tabletop to minimum height for patient transfer. The portable hand-held and foot-operated controllers also adjust the table. The Joystick Controller is used for motorized X-Y positioning and features proportional speed control.

### More adjustments and features...

The Fowler back adjusts with a simple touch-handle lock/unlock mechanism to an 80° angle with incremental stops at 20°, 30°, 40°, 50°, 60°, 70° and 80°.

The table comes equipped with a lightweight, non-imaging patient transfer extension and a radiolucent extension. The radiolucent extension provides capability for vascular, cardiac, and other general C-Arm applications. Select from knee crutches or the PAL stirrups, arm boards or drain pans, the choice is yours... configure to your exact specifications.

Both AC and battery power are standard. Eliminate power cords with battery operation. An optional battery, with separate charging unit, can provide cordless operation.







Choose from a stainless steel drain pan with a wire mesh splash screen or a plastic drain-hag holder for disposable drain hag.



Optional removable cassette tray and grid are accessible from either side of the table.



Radiolucent extension converts the Urology Table into a general purpose C-Arm Table.